

Patient ID SA00170205	Patient Name VALIDATION, BNFLC ABNORMAL	Birth Date 1990-08-08	Sex M	Age 34
Order Number SA00170205	Client Order Number SA00170205	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 02 Sep 2024 08:00		

Neurofilament Light Chain, CSF
SDL
525 pg/mL

Reference intervals for neurofilament light chain (NfL) in human cerebrospinal fluid (CSF) have not been established for this assay. NfL results need to be interpreted in the context of the specific clinical trial aim and endpoint.

ADDITIONAL INFORMATION

The testing method is a chemiluminescent enzyme immunoassay manufactured by Fujirebio, Inc. and performed on the Lumipulse analyzer. Values obtained with different assay methods or kits

may be different and cannot be used interchangeably.

This test is not intended as a screening or standalone diagnostic assay; correlation with clinical findings is recommended.

For research use only. This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Received: 03 Sep 2024 13:12
Reported: 03 Sep 2024 13:13
Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592