


Patient ID SA00172786	Patient Name TESTING, BNFLP A	Birth Date 1990-08-08	Sex F	Age 34
Order Number SA00172786	Client Order Number SA00172786	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 07 Nov 2024 08:00		

Neurofilament Light Chain, P

14.0 pg/mL
High
1 SDL
Reference Value
 ≤ 13.5 pg/mL

ADDITIONAL INFORMATION

The testing method is a chemiluminescent enzyme immunoassay manufactured by Fujirebio, Inc. and performed on the Lumipulse analyzer. Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

Received: 08 Nov 2024 12:02

Reported: 08 Nov 2024 12:57

Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592