

Patient ID C7028846-0006238	Patient Name B181P, VALIDATION ABNORMAL	Birth Date 2003-03-03	Sex M	Age 21
Order Number X100486062	Client Order Number X100486062	Ordering Physician unknown,physician	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 17 Dec 2024 02:00		

Phospho-Tau 181, P

1 SDL


3.0 pg/mL
Reference Value
 ≤ 2.5 pg/mL

High

An elevated (positive) plasma pTau181 result is suggestive of a positive (abnormal) amyloid positron emission tomography (PET) scan result. This result does not establish a diagnosis of Alzheimer's disease or other cognitive disorder.

The testing method is a chemiluminescent enzyme immunoassay manufactured by Fujirebio, Inc. and performed on the Lumipulse analyzer. Values obtained with different assay methods or kits may be different and cannot be used interchangeably.

This test is not intended as a screening or standalone diagnostic assay; correlation with clinical findings is recommended.

Received: 18 Dec 2024 11:32

Reported: 19 Dec 2024 08:30

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592